



บทความวิจัย

ความสัมพันธ์ระหว่างการสื่อสารเรื่องเพศและพฤติกรรมการใช้ถุงยางอนามัยในกลุ่มเยาวชนชายรักชาย จังหวัดชลบุรี

รุ่งรัตน์ ศรีสุริยเวศน์* และพรนภา หอมลินธุ์*

คณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา เลขที่ 169 ถนนลงหาดบางแสน ต.แสนสุข อ.เมืองชลบุรี จ.ชลบุรี 20131

บทคัดย่อ

วัตถุประสงค์: เพื่อศึกษาการสื่อสารเรื่องเพศและพฤติกรรมการใช้ถุงยางอนามัยของกลุ่มเยาวชนชายรักชาย และความสัมพันธ์ระหว่างการสื่อสารเรื่องเพศกับพฤติกรรมการใช้ถุงยางอนามัยในกลุ่มเยาวชนชายรักชาย ทั้งที่เป็นคู่นอนประจำและคู่นอนชั่วคราว

แบบแผนการวิจัย: การศึกษาแบบบรรยายเชิงความสัมพันธ์

วิธีดำเนินการวิจัย: กลุ่มตัวอย่าง คือ เยาวชนชายที่มีเพศสัมพันธ์กับชาย (MSM) อายุระหว่าง 15-24 ปี จำนวน 196 คน คัดเลือกโดยใช้เทคนิคการบอกต่อจากกลุ่มเพื่อน เก็บรวบรวมข้อมูลโดยใช้แบบวัดพฤติกรรมการใช้ถุงยางอนามัย และแบบวัดการสื่อสารเรื่องเพศที่ประกอบด้วยความถี่ในการสื่อสาร และความสะดวกใจในการสื่อสาร มีค่าสัมประสิทธิ์อัลฟาครอนบาคของแบบวัดการสื่อสารเรื่องเพศ เท่ากับ .80 ด้านความถี่ในการสื่อสาร เท่ากับ .83 และความสะดวกใจในการสื่อสาร เท่ากับ .85 วิเคราะห์ข้อมูลด้วยสถิติเชิงพรรณนาและการทดสอบสหสัมพันธ์ของเพียร์สัน

ผลการวิจัย: กลุ่มตัวอย่างร้อยละ 51 ใช้ถุงยางอนามัยทุกครั้งกับคู่นอนชั่วคราว และร้อยละ 35 กับคู่นอนประจำ ส่วนใหญ่มีการสื่อสารเรื่องเพศกับคู่นอนประจำสูงกว่ากับคู่นอนชั่วคราว และการใช้ถุงยางอนามัยเป็นหัวข้อที่มีการสื่อสารกับคู่นอนมากที่สุด การสื่อสารเรื่องเพศกับคู่นอนมีความสัมพันธ์เชิงบวกกับพฤติกรรมการใช้ถุงยางอนามัยในช่วงสามเดือนที่ผ่านมาอย่างมีนัยสำคัญทางสถิติ ทั้งในคู่นอนประจำและคู่นอนชั่วคราว ($r = .344, p < 0.001$ และ $r = .197, p < 0.039$)

สรุป: การป้องกันโรคเอดส์ในกลุ่มเยาวชนชายรักชายควรเน้นการสร้างแรงจูงใจและส่งเสริมการเริ่มการสื่อสารเรื่องเพศและต่อรองการใช้ถุงยางอนามัยอย่างสม่ำเสมอกับคู่นอนทุกประเภทให้เป็นเรื่องปกติ

คำสำคัญ: เชนไอวี/การสื่อสารเรื่องเพศ/ ชายรักชาย/การใช้ถุงยางอนามัย/คู่นอน



Relationship between Sexual Communication and Condom Use Behavior among Young Thai Men Who Have Sex with Men (MSM) in Chonburi Province

Rungrat Srisuriyawet* and Pornnapa Homsin*

Abstract

Purpose: To explore sexual communications and condom use behavior, as well as the association between sexual communication and condom use behavior with regular partners and casual partners among young MSM.

Design: Descriptive correlational study.

Methods: Participants of this study were 196 young MSM aged 15-24 years. They were recruited through snowballing technique. Data were collected using self-administered questionnaires including condom use behaviors and sexual communication (frequency and comfort). Cronbach's alpha coefficient of sexual communication scale was .80 (.83 for frequency dimension and .85 for comfort dimension). Descriptive statistics and Pearson's Product-Moment Correlation were used for data analysis.

Findings: About 51% of young MSM reported that they consistently used condom with their casual partners and 35% with their regular partners. Their sexual communication with regular partners was significantly higher than with casual partners. Condom use was the most topic that young MSM communicated with their partners. This study found that sexual communications were significantly associated with condom use behavior during the last 3 months with both regular and casual partners ($r = .344, p < 0.001$ and $r = .197, p < 0.039$).

Conclusion: HIV prevention program for young MSM should motivate and encourage them to initiate sexual communications and negotiate consistent condom use with all types of sexual partners as normative behavior.

Keywords: HIV/ Sexual communication/ MSM/ Condom use/ Sexual partner